

WINDOWS PERFECTLY CLEAR

perfect glaze



INDIA

- Perfect Glaze (India) Pvt. Ltd.
PG House, Madhapar - Bhujodi Highway, Madhapar, Bhuj - Kutch. (Gujarat) India - 370 020
- +91 97277 97035 | +91 2832 240751
- info@perfectglaze.co.in | sales@perfectglaze.co.in
- www.perfectglaze.co.in



UK

- Perfect Glaze Ltd.
P G House, Kingsbury, London, NW9 8UP
- +0 208 205 4102
- info@perfectglaze.co.uk
- www.perfectglaze.co.uk

National Presence

- Head Quarter :
Bhuj - Kutch (Gujarat), Gandhidham, Anand, Surat, Ahmedabad, Himatnagar, Bhopal, Raipur, Udaipur

International Presence

- Head Quarter :
United Kingdom, Australia, Seychelles, Maldives



WINDOWS

Sliding System

Metalux System WinDoors

Casement
System



DOOR

Bi-Fold Door

Slimline Sliding
Door System

Swing Door
System

CONSERVATORY

FACADE

Make it 
Simple But
Significant

About *perfect glaze* India

Perfect Glaze Limited celebrating 20 years in the double glazing industry, the company was started in March 1993 and remained in European market until 1998 when it is registered as a Limited Company and came to be known as Perfect Glaze Limited. Perfect Glaze Pvt. Ltd. is FENSA registered company. Backed by the resources of the Group, Perfect Glaze Limited offers architects and specifiers a wide range of innovative aluminium systems for curtain walling, doors, windows and specialist applications. With a wealth of European knowledge and experience, our company incorporates the highly respected Reynaers, SAPA and Metal Technology brands that have satisfied the demands of specifiers for over decades. Our production house is loaded with advanced technology and machinery to achieve the highest accuracy in production. We have always tried to make something new and invited new ideas from market to challenge our research and development unit.

Our Mission

Our mission is to go beyond the highest level of client satisfaction by delivering best quality products and services.

Our Vision

Our vision is to be the best solution for aluminium system windows and doors in the world market.



WHY PERFECT GLAZE



European Standard

We drive our company on European Standards and Modern Technology at every stage of the production process. We are highly conscious of the comfort of our clients, customers, and associates of the European market.



Warranty/Guarantee

All our products cover comprehensive guarantee to British/European Standard and with total peace. Our systems have been approved under BS EN ISO 9001:2000 and we have been recognized as an Investor in People for more than a decade. All our products cover comprehensive guarantees to the British/European Standard.



Unique Design

Perfect Glaze has been recognized as an innovator throughout the years. With our experience of innovation, we make sure to create unique designs based on the requirements of our customers.



One-Stop-Shop *solution*
for Design, Sourcing, Finishing &
Delivery of Aluminium
Windows & Doors.

Global Experts with Indigenous *experience*



OUR STRENGTH



Project Management

We have developed a sound expertise in handling all types of projects. This expertise gives us the ability to take responsibility for planning and maintaining high levels of accuracy, due to which we are able to deliver successful projects on time.

We have a well-equipped design & technical team. The role of our product designer combines art, science, & technology to create tangible three-dimensional goods. The design department has its pulse on the latest consumer trends, market feedback, & Client needs. We also have an experts team to provide you with the best possible quote.



Designing & Estimation



Site Survey

A site survey is required for analysis of the sites and avoiding the risk of a mismatch between the window and the aperture. We customize the size of every window and door to the size of the opening at the Client's site.



Fabrication

A team of experienced fabrication experts can help you determine the best solution to meet your needs. They can also provide you with recommendations for selecting the right aesthetics for your home.

Old civil practices with wooden windows required windows frames to be installed at the beginning of, or during the civil work. However, in the case of Perfect Glaze Pvt. Ltd. India the complete window comes as one unit and is fitted after all civil work is over.



Installation



Post Sale Service

We believe in conceiving long-term relations with our clients, premium quality of products and we always stress upon top quality services and unmatched Client support. Our service starts from the very beginning and is included in every aspect and stage of the user experience.

120+

> Professional Individuals

2,500+

> Happy Clients

10+

> Countries

We Work With



Architects & Specifiers

We pride ourselves on our ability to work in close European market with our clients and within their specific areas which, over almost a decade, has given us vast experience in many different market sectors.



Fabricators & Installers

Our team of field-based Project Consultants work closely with our in-house contracts design and administration team to provide architects with expert guidance and assistance.

Contractors & Developers



We supply windows, doors, conservatory roofs, and curtain walling systems, with nationwide installation supported by dedicated managers and consultants. Our experienced team is committed to delivering a seamless client experience.

Some of the **benchmark** projects in India, Africa, Maldives Seychelles & Australia

park inn
by Radisson

LILADHAR PASOO
SINCE 1919

**Comfort
INN**

WELCOMHOTEL
BY ITC HOTELS
JABALPUR

**Shrewsbury
International School**
INDIA

RAMEE GROUP

RASHEED CARPENTRY & CONSTRUCTION
Specialty Carpentry & Construction

SHISHUKUMI
BHUJ

Luthra Group

SHAH & TALATI
Design & Engineering

**HOTEL
ilark**
A Landmark of Katira Group

LINNA LIONS HOSPITAL
KATIRIA

tma

Kirby
BUILDING SYSTEMS

ECPL
EVEREST COMPOSITES PVT. LTD.

ALLIED
BUILDING & CIVIL ENGINEERING CONTRACTOR
MASTERS OF CONSISTENCY & QUALITY

**THE FERN
Residency**

THE HILLOCK
AHMEDABAD

KATERRA

KRG
KURJIBHAI RAMJI GROUP
Mauritius - Rodrigues - Seychelles - India - UK

**LUXURITO
WINDOWS**
HAY YOU IMAGINE


Casement Windows & Door



A solid **casement window/door system** that offers a range of internally and externally beaded glazing options. This open-out casement range of sections can be used to construct fix-lights, side and top hung opening vents.

advantages

- Built with new extended enclosed end cap to enhance weather sealing.
- Asymmetric location system for reliable weather sealing to BS-S6375 Part I
- Patented lipped slide for enhanced smooth operation.
- Easy friction adjustment without metal to metal contact.
- Unique patented, robust cam friction device eliminates any risk of friction screw misuse.
- Available in austenitic 304 stainless steel for enhanced corrosion resistance.
- Available with built in restrictors as optional.



Elegant windows, perfect views –
आप का घर , आप की *style*.



*Image is for representation purpose only

TW 40 WINDOW

Double Glass units feature two panels separated by air or gas, offering better thermal insulation and soundproofing. Reduce your energy bills and enjoy quieter, more comfortable spaces year-round.

Center
siline width

141mm

Glazing

**5 to 12/24 to
28mm**

Maximum weight
capacity/pane

40kg

Sash top/bottom
height

64mm

Sash top/bottom
width

43mm

Outer top/bottom
height

43mm

Outer top/bottom
width

43mm

Sash with outer
siline

85mm



TSF 94 WINDOW

A premium thermal break solution designed for superior insulation and energy efficiency. With robust construction, it ensures excellent thermal and acoustic performance-ideal for modern buildings demanding comfort, style & sustainability.

Center
siline width

141mm

Glazing

**5 to 12/24 to
28mm**

Maximum weight
capacity/pane

40kg

Sash top/bottom
height

64mm

Sash top/bottom
width

43mm

Outer top/bottom
height


45mm

Outer top/bottom
width

94mm

Sash with outer
siline

85mm



TSF 114 WINDOW

Single Glass slider windows offer a cost-effective solution, lightweight, budget-friendly, and perfect for moderate climates offering basic insulation, sound control, and natural light.

Center
siline width

141mm

Glazing

5 to 12/24 to 28mm

Maximum weight
capacity/pane

40kg

Sash top/bottom
height

64mm

Sash top/bottom
width

43mm

Outer top/bottom
height

48mm

Outer top/bottom
width

75mm

Sash with outer
siline

88mm



TW 80 WINDOW

A versatile and durable solution featuring slim aluminium profiles for a clean, modern look. Designed for optimal functionality and weather resistance, it offers reliable performance-ideal for residential and light commercial applications.

Center
siline width

159mm

Glazing

5 to 12/18 to 28mm

Maximum weight
capacity/pane

40kg

Sash top/bottom
height

73mm

Sash top/bottom
width

49mm

Outer top/bottom
height

44mm

Outer top/bottom
width

80mm

Sash with outer
siline

92mm

TSF 94 HS WINDOWS

A sleek design and lasting durability. Its dual-pane system ensures superior protection from noise, dust, and weather—delivering thermal efficiency, comfort, and modern elegance for every space.



Center
siline width

77.5mm

Maximum weight
capacity/pane
40kg

Glazing

24mm

Sash with outer
siline
71mm

Sash top/bottom
width

82.5mm

Sash top/bottom
height
37mm

Outer top/bottom
width

94mm

Outer top/bottom
height
65mm

Strong enough to weather anything,
Stylish enough to match everything.





Sliding Windows & Door System

We design weather-resistant sliding systems for smooth, silent, and secure operation. Sliding windows and doors suit wide openings and space restrictions, using SS/Nylon rollers and multi-point locks for easy movement and high security.

Designed to move
with your life.

*Image is for representation purpose only

advantages

Since 1993
**Perfect
Glaze**
Windows Perfectly Crafted

Security

The system can integrate insulated panels or secured glazing up to 5mm/36mm. To improve the level of security, multiple points locking options are available throughout the range.

Aesthetics

The outer rail has 2 main advantages:

- Invisible drainage from the inside and discrete from the outside.
- The profile width is reduced to the minimum, allowing a maximum day light to enter the room.

A wide range of colors

We offer a choice of over 400 RAL colors.

Assembly

To achieve consistent high quality assembly is carried out using specially designed punch tools & pneumatic corner crimper.

R & D

Profiles are available to meet project needs cost-effectively. Our R & D team engineered tandem wheels with stainless steel housing and ball bearings for silent, smooth motion without vibration. Cleats are designed for easy flat-pack transport of windows and doors.

Guarantee


All our products covers comprehensive guarantee with British/ European standard for total peace of mind.



HS 200 2- TRACK WINDOW/DOOR

A heavy-duty sliding solution designed for large openings. With robust aluminium profiles, smooth dual-track operation, & excellent thermal & acoustic insulation, it delivers durability, elegance, & effortless functionality—ideal for premium residential & commercial applications.

Center siteline width	Sash top/bottom width
70/142mm	35mm
Glazing	Outer top/bottom height
5 to 12/22 to 26mm	39mm
Maximum weight capacity/pane	Outer top/bottom width
170kg	53mm
Sash top/bottom height	Sash with outer siteline
70mm	101mm



HS 70 2- TRACK WITH GUTTER WINDOW/DOOR

With integrated gutter design for efficient drainage and smooth dual-track operation, it ensures seamless movement, weather protection, and a sleek, modern appearance—ideal for both residential and commercial use.


Center siteline width	Sash top/bottom width
70/142mm	35mm
Glazing	Outer top/bottom height
5 to 12/22 to 26mm	40mm
Maximum weight capacity/pane	Outer top/bottom width
170kg	70mm
Sash top/bottom height	Sash with outer siteline
70mm	101mm



HS 300 3- TRACK WINDOW/DOOR

A sliding system engineered for expansive openings & maximum flexibility. With three-track operation, heavy-duty aluminium construction, & superior insulation, it offers wide views, & enhanced durability—perfect for luxury residential and commercial spaces.

Center siteline width	Sash top/bottom width
70/142mm	35mm
Glazing	Outer top/bottom height
5 to 12/22 to 26mm	39mm
Maximum weight capacity/pane	Outer top/bottom width
170kg	113mm
Sash top/bottom height	Sash with outer siteline
70mm	102mm



HS 70s MONORAIL WINDOW/DOOR

A space-efficient sliding solution with a fixed-pane & single sliding panel design. Engineered for modern aesthetics, it combines robust performance with a streamlined profile—perfect for maximizing views & natural light in contemporary spaces.

Center siteline width	Sash top/bottom width
70/142mm	35mm
Glazing	Outer top/bottom height
5 to 12/22 to 26mm	39mm
Maximum weight capacity/pane	Outer top/bottom width
170kg	70mm
Sash top/bottom height	Sash with outer siteline
70mm	102mm



PG SL WINDOW 2-TRACK

An efficient sliding window solution featuring dual-track operation. Its slim aluminium profiles ensure a modern look, smooth sliding performance, and optimal space utilization—perfect for residential and light commercial settings.

Center
siteline width
**18, 25, 89, 94 &
199mm**

Glazing
**6 to 18/22 to
36mm**

Maximum weight
capacity/pane
500kg

Sash top/bottom
height
26mm

Sash top/bottom
width
46mm

Outer top/bottom
height
70mm

Outer top/bottom
width
146mm

Sash with outer
siteline
76 & 122mm



PG SL DOOR 2-TRACK

A sleek sliding door solution featuring slim profiles and smooth-glide operation. Designed for modern spaces, it offers seamless indoor-outdoor connectivity, durability, and space-saving functionality—perfect for residential and commercial applications.

Center
siteline width
18, 25 & 141mm

Glazing
**6 to 18/22 to
36mm**

Maximum weight
capacity/pane
500kg

Sash top/bottom
height
26mm

Sash top/bottom
width
46mm

Outer top/bottom
height
70mm

Outer top/bottom
width
146mm

Sash with outer
siteline
76 & 122mm



PG SL WINDOW 3-TRACK

Designed for wider openings, offering enhanced ventilation and flexibility. With three sliding panels on separate tracks, it ensures light and airflow, modern aesthetics, and efficient use of space.

Center
siteline width
**18, 25, 89, 94 &
199mm**

Glazing
**6 to 18/22 to
36mm**

Maximum weight
capacity/pane
500kg


Sash top/bottom
height
26mm

Sash top/bottom
width
46mm

Outer top/bottom
height
70mm

Outer top/bottom
width
208mm

Sash with outer
siteline
76 & 122mm



PG SL DOOR 3-TRACK

A high-performance sliding door solution designed for wider openings. With triple-track functionality, it allows multiple panels to glide smoothly for enhanced ventilation, clear views, and flexible space usage.

Center
siteline width
18, 25 & 141mm

Glazing
**6 to 18/22 to
36mm**

Maximum weight
capacity/pane
500kg


Sash top/bottom
height
26mm

Sash top/bottom
width
46mm

Outer top/bottom
height
70mm

Outer top/bottom
width
208mm

Sash with outer
siteline
76 & 122mm



HS 45 2-TRACK WINDOW

A compact and efficient sliding window solution, designed with slim aluminium profiles for a clean, modern appearance. Its dual-track design ensures smooth gliding, space-saving functionality, & reliable performance—ideal for residential & light commercial use.



Center
siline width

15 & 111mm

Maximum weight
capacity/pane
50kg

Glazing

6 to 8mm

Sash with outer
siline
76 & 89mm

Sash top/bottom
width

25mm

Sash top/bottom
height
53mm


Outer top/bottom
width

45mm

Outer top/bottom
height
31mm



Jab aapke Doors & Windows ho solid,
तो आप का घर भी *solid* लगता है।



Designed for those
who value space.

Swing Doors


Swing doors, are popular in offices/workspaces and living spaces for their ability to open both inwards and outwards. A sleek, modern solution to complement the style of your home or office.

*Image is for representation purpose only

advantages



- Product technology & design is based on European and British standard.
- Fully compatible with System 4 & System 20.
- Systems have been approved under BS EN ISO 9001:2000.
- All aluminium profiles alloy is 6063-T6.
- Frame members are miter cut at 45°, corners are reinforced with stainless steel corner ties, screw pots for flange stability and extruded aluminium corner cleats are pneumatically / mechanically crimped.
- The system achieves its weather sealing performance by means of dedicated twin slot in the outer frame for fin wool pile & drained at outer frame bottom by tidy cylinder inserts.
- All miter joints are sealed against water entry during fabrication.
- Pocket glazing for optimum security.
- Glazing pocket to suit 28mm double-glazed units.
- Option of single point or multi point hook lock, with minimum 5-pin Euro profile cylinder.
- Maximum depth of frame section: 75mm.
- All profiles are powder coated to a minimum of 50 to 70 microns.



PG PD 100 SWING DOOR

A robust and elegant solution designed for high-traffic areas. With its durable aluminium construction, smooth operation, and clean lines, it ensures long-lasting performance and modern appeal—ideal for both interior and exterior use.

Center
siteline width

106mm

Glazing

5 to 12/28 mm

Maximum weight
capacity/pane

120kg

Sash top/bottom
height

106mm

Sash top/bottom
width

43mm

Outer top/bottom
height

51mm

Outer top/bottom
width

75mm

Sash with outer
siteline

147 & 117mm



TW 40 DOOR

A lightweight and cost-effective aluminium door solution, ideal for internal or low-traffic applications. With its clean design, smooth operation, and reliable performance, it offers a perfect balance of functionality and aesthetics for modern interiors.

Center
siteline width

187mm

Glazing

3 to 6mm

Maximum weight
capacity/pane

50kg

Sash top/bottom
height

87mm

Sash top/bottom
width

43mm

Outer top/bottom
height


43mm

Outer top/bottom
width

43mm

Sash with outer
siteline

107mm



PG PD 50 SWING DOOR

A lightweight yet sturdy solution—ideal for internal applications. With slim aluminium profiles and refined design, it offers smooth operation, durability, and a sleek, modern look—perfect for contemporary interiors.

Center
siteline width

106mm

Glazing

5 to 12/28 mm

Maximum weight
capacity/pane

120kg

Sash top/bottom
height

106mm

Sash top/bottom
width

43mm

Outer top/bottom
height

51mm

Outer top/bottom
width

52mm

Sash with outer
siteline

147 & 117mm



Har Doors & Windows
mein ho protection

तो आप के घर जैसा
safe कोई नहीं।

You deserve a home that
moves like you do -
quietly, beautifully, effortlessly.

Bi-Fold Door System

Bi-folding doors are ideal for connecting lounges to gardens, balconies, or verandas, blending indoor and outdoor spaces. They add style, enhance openness, and offer flexible solutions for homes, offices, and multipurpose venues like conference or community centers.



advantages

- The sliding folding door is fully weather-sealed.
- Effortless smooth sliding action.
- Locking with simultaneous top and bottom shoot-bolt locking.
- This folding panel system has the option of a flush threshold.
- These doors can include side-lights or top-lights for extra interior lighting and may incorporate systems for added ventilation.
- These doors offer various glass options like toughened, laminated safety, or tinted glass in many colors, with single, double, or triple glazing for improved performance.
- The number of panel from 3-panel doors, right up to 10-panel doors.



PG 70 BIFOLD DOOR SYSTEM

A sleek and space-saving solution for wide openings. Designed with high-performance aluminium profiles, it provides smooth folding action, excellent thermal insulation, and modern aesthetics.



Center
siteline width

127,144 & 171mm

Maximum weight
capacity/pane
120kg

Glazing

5 to 12/26 to 30mm

Sash with outer
siteline
87 & 105mm

Sash top/bottom
width

70mm

Sash top/bottom
height
60mm

Outer top/bottom
width

70mm

Outer top/bottom
height
51mm



घर के हर कोने में *style का touch.*

*Image is for representation purpose only



The ultimate indoor-outdoor living.

Conservatory

Perfect Glaze makes dream conservatory a reality. Perfect Glaze makes it affordable. We've been building stunning, durable conservatories for years, featuring uniquely engineered roofing with integrated ventilation for ultimate comfort. Enjoy the outdoors all year, whatever the weather, with Perfect Glaze.

*Image is for representation purpose only

advantages



Security

Our Perfect Glaze conservatories are manufactured from new generation aluminium, this aluminium is stronger than UPVC and less vulnerable to extremes of weather and temperature than wood or UPVC, it is virtually maintenance free it allows the frames to be slim & elegant in proportions, yet still offers a high standards of security.

Aesthetics

Perfect conservatory can be invaluable improvement to your home, enhancing the quality of your lifestyle and allowing you to explore a whole new way of living. Our conservatory offers a whole new perspective to your garden and exterior surroundings.

A wide range of colors


We offer an exciting range of possibilities and options which allows you to have a conservatory designed and created your own specification, including a wide range of colors for you to choose from.

Conservatory Roofing System

Our roofs are adaptable to a wide range of projects from small domestic conservatories to large-span swimming pool enclosures or restaurant extensions so whatever your plans, there's bound to be a perfect conservatory roofing system for you.

Guarantee

All our products covers extensive guarantee with British/European standards and with total peace of mind.



Our Benefits & Significant Works

- Cost efficient.
- Long durability & warranty.
- Locking system that enhance the security factor.



Choice of more than 400 RAL colours:

- Gloss
- Matt
- Metallic
- Wood finish

- Smooth operation of Installation.
- Significant noise reduction glazing configurations.
- Well designed and tested hardware & accessories.



- Does not require any maintenance apart from cleaning.
- Resists atmospheric pollution & chemical corrosion.



OUR FOOTPRINTS

Indian National Presence



International Presence

- Australia
- United Kingdom
- Maldives
- Seychelles

